



PAPERCONVERTING



KOHMANN F1350 | 2000

Bouwjaar	2000
Bezichtiging	In productie
Beschikbaarheid	03/2025
Technische specificaties	1 stream, Windowpatcher



HEIBER & SCHRÖDER CE 850.2

Bouwjaar	2005
Bezichtiging	In productie
Beschikbaarheid	4/2024
Technische specificaties	carton erecting / tray forming machine, Max width: 850MM, Max length: 450MM, Twin stream, Transport chain station, Servo controlled timed feeder, Coldglue, Hamburger device (8 point boxes)

PRESS



IBERICA SPD 105F | 2007

Bouwjaar	2007
Bezichtiging	In productie
Beschikbaarheid	2/2025
Technische specificaties	Sheet size max 750 x 1050MM, Sheet size min 350 x 400MM, Max mechanical speed 9000sph, Max impression strength 300 tons, Max cardboard thickness 1,5MM, Max corrugated board 3MM, Automatic feeder with floating platform for direct plate loading, Manual Non-Stop Feeder, Upper stripping frame with quick lock system, Automatic lower stripping frame, Automatic Non-Stop Delivery, Touch screen, 3 tons of pressure



MAN ROLAND R905 XXL | 2011



Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2011
35 mio
In productie
2/2025
Colorpilot D+F with Graphometric FM19, Roland DeltaMatic dampening with Technotrans BETA.C, APL automatic plate loader, Automatic wash-up devices for inking rollers, Automatic wash-up devices for blanket and impression cylinders, Inking unit temperature control, Steelplate feeder and delivery, Grafix CanTronic 2000 HEP powderspray, Max. Paperformat 1300 x 1850



KOMORI GL 840P | 2015

Bouwjaar
Druks
Bezichtiging
Beschikbaarheid
Technische specificaties

2015
91 mio
In productie
2/2025
PDC-SX Spectrophotometer and Auto register control, PQC Print Quality Control, KID Komori Information Display, KHS-AI Advanced Interface with Self-learning function, KMS IV Komori Monitoring System, AMR Automatic Make Ready Paper size and thickness setting, Komorimatic dampening units with Technotrans refrigeration and re-circulation unit, A-APC Asynchronous Automatic Plate Changer, Automatic washers for rollers, blanket- and impression cylinders, Inking Unit Temperature control, Ultrasonic Double Sheet detector, Grafix powderspray, Steelplate feeder and delivery, Perfecting 8/0-4/4, Books, tools and schedules



ASCON 700 | 2000

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2000
In productie
2/2025
Stapelkeerder



HEIDELBERG GTO 52-2 | 1999



Bouwjaar	1999
Druks	19 mio
Bezichtiging	In productie
Beschikbaarheid	2/2025
Technische specificaties	Heidelberg DDS vochtwerken, Lasergeslepen inktbakken met lamelverstelling, Poederapparaat, Plusversie

HEIDELBERG SPEEDMASTER PM 52-2 | 2007



Bouwjaar	2007
Druks	27 mio
Bezichtiging	In productie
Beschikbaarheid	2/2025
Technische specificaties	PressCenter, Lasergeslepen inktbakken met lamelverstelling, Alcolor vochtwerken met Baldwin unit, Heidelberg EasyPlate, Automatische wasinrichtingen voor inktwerken en rubberdoekcilinders, Mediprint poederapparaat, Heidelberg zuigbandinleg max 13000 vel per uur

HEIDELBERG OHT FOLIEDEGEL | 1973



Bouwjaar	1973
Bezichtiging	Gedemonteerd
Beschikbaarheid	2/2025
Technische specificaties	Degel met folie inrichting.

MAN ROLAND INLINEFOILER PRINDOR



Bouwjaar	2008
Bezichtiging	In productie
Beschikbaarheid	11/2023
Technische specificaties	Cold foil enhancement, Free run single reel InlineFoiler, Model for mounting on two printing units for the cold foil transfer process, Suitable to MAN ROLAND R 700 presses.



VAN DER WEKKEN
GRAFISCHE MACHINES

RYOBI 512H



Bouwjaar
Bezichtiging
Druks
Beschikbaarheid
Technische specificaties

1998
Gedemonteerd
17 mio.
12/2023
Alcohol dampening with MGE coolunit,
Powderspray, Books, tools and schedules.



HEIDELBERG SX 52-4L | 2012

Bouwjaar
Bezichtiging
Druks
Beschikbaarheid
Technische specificaties

2012
In productie
47 mio.
12/2023
Up to 0.6MM thickness, Prinect Center
CP2000, ANICOLOR, Technotrans Alpha CZ
combistar, Technotrans AlcoSmart AZR,
Heidelberg Autoplate, Autom. washers,
Preset, autom. format adjustment feeder,
Technotrans Inking unit temperature
control, Anti-Static with ionisationblowers
on feeder, Dedicated coater with DryStar
IR dryer, PowderStar AP110, Watercooled
machine.

POST-PRESS



MBO B30E-R | 2006

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2006
In productie
4/2024
Roundpile feeder, 1st section B30E-1-76/4,
2nd section B30E-2-76/4, MBO T530-3-X, 1
folding plate, A76-DC-24 shingle belt
delivery, SBAP 46 ME vertical stacker



VAN DER WEKKEN
GRAFISCHE MACHINES

BOBST DOMINO 110-M | 1987



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1987
In productie
2/2025
Straight line, Lock bottom, 4 + 6 pt gluing,
HHS gluing station 4 channels – 3 guns



KOLBUS BF512 COMPACT CASING-IN LINE WITH TRIMMER + SIGLOCH BOOK PREP LINE | 2008

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2008
In productie
03/2025
15,7 MIO produced books
Sigloch BBL-30/3 Back Gluing and Lining,
Sigloch twin end sheet pasting Sigloch
NH1 Nipping Press Conveyor and Cooling /
Drying
System to Kolbus HD130 three knife
trimmer to, Kolbus Compact 512 Casing-in
element 'Co-Pilot' computerised set-up
and
memory with touch-screen colour
monitors 'HB 530', IR pre heating unit 'AR'
rounding and backing element with
various size
rounding irons to; 'HL' backlining unit with
2 x Robatech hot gluing, gauzing, paper
lining and head & tail banding 'EMP'
casing-in element with DBA case bending
unit, heated former for cases, various
formers for size changing Including
accessories,
tools & manuals



SMYTH F200 'UNIT' | 2009

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2009
In productie
2/2025
Complete gathering & sewing system with
minimum staffing levels, High speed 200
cycles/min. automatic book sewer with
gatherer, Comprising; Gatherer P12 – 24
stations – can also be used as 12 feeders for
wider format work, Automatic hoppers
with vibrator & jogging adjustment,
Sequential start control of each section for
quick set-up, Hopper feed with suction &
gripper action, Automatic interface with
F200 book sewer, Automatic loading of
book blocks into sewer, Smyth F200
Automatic book sewer with;
Computer programme – with alpha-
numeric display and memory capability,
moveable Touch Screen monitor for
programming & diagnostics, auto set-up
with servo motors, 4 plus 4 upper and



lower openings – programmable, suction and gripper action, programming of lap opening & suckers, D/C drive unit, Capable of mixed suction & lap signature feeding, Standard or staggered stitching – adjustable, Thread cutting device, Delivery conveyor to; 'Stacker' compensating stacker, Specification: Section sizes, Max: 520 x 350 mm, Min: 80 x 140 mm, Stitch length : 18 mm, Number of stitches : 14, Mechanical speed : up to 200 cycles/min



MULLER MARTINI VENTURA 3215 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
5/2024
Feeder and/or knife opening, Innovative sewing system, Patented loop formation with compressed air, Quick change between different type of stitches, Equipped with: Suction opening 4 + 4 for products with or without over fold, Optical scanning system, Additional parts for processing of thin printing, Stacker delivery, Max signature length: 510mm, Max. speed: 12,000/hour



THEISEN AND BONITZ TB SPRINT 312VP INCL 303QS | 1998

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1998
In productie
2/2025
12 stations collator, 303QS folding-stitching (2x Hohner)-trimmer



HEIDELBERG STAHLFOLDER TI52/4/4 | 2007

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
2/2025
Ti-52 eerste sectie 4 tassen, Ti52 tweede sectie 4 tassen, Geluidskappen, SAK 56 uitleg, Pomp



VAN DER WEKKEN
GRAFISCHE MACHINES

HOHNER HSB 7000 (6+1)



Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2007
In productie
11/2023
Handopleg station, 6 opleg stations, 1 vouwopleg apparaat, Hechter met Hohner hechtkoppen, Trimmer, Staffel uitleg, Boeken en schema's



GUANGMING SW-1050B

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2016
In productie
12/2023
Lamniator, Electromagnetic heating system, Auto feeder, Sidelay regulator, Human computer interface, Separation system, Corrugated delivery, Anti curvature device, Autom. stacker, Max. paper format 1050x820MM, Min. paper format 350x350MM, Laminating speed 0-60m/min.



MBO T 45 4/4

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

1993
In productie
12/2023
Vlakstapel inleg, MBO MCC 2, 1ste sectie T45- 4 tassen parallel, 2e sectie T45- 4 tassen parallel, Geluidskappen, Staffeluitleg A56, Pomp.



MULTIMASTER CAS 35/2 PBA

Bouwjaar
Bezichtiging
Beschikbaarheid
Technische specificaties

2006
In productie
12/2023
Computergestuurde vouwmaschine met twee tassen, Max. papierformaat 35 x 46 CM, Min. papierformaat 8.5 x 10 CM;